

**CRACKDOWN RAPIDE SE45 20X250ML BOT GB**Version 1 / GB  
102000013951/8  
Revision Date: 03.04.2006  
Print Date: 14.06.2006**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name CRACKDOWN RAPIDE SE45 20X250ML BOT GB  
 Product code (UVP) 05935644  
 Usage insecticide  
 Company Bayer Environmental Science  
 230 Cambridge Science Park  
 Milton Road  
 Cambridge  
 Cambridgeshire CB4 0WB  
 Great Britain

Telephone +44(0)1223 226500  
 Telefax +44(0)1223 426240  
 Emergency telephone number 0800-220876 (UK 24 hr)  
 +44(0)1603-242424 (Overseas 24 hr)

**2. COMPOSITION/INFORMATION ON INGREDIENTS****Chemical nature**

Suspo-emulsion (SE)  
 Deltamethrin/S-Bioallethrin 25:20 g/l

**Hazardous components**

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrases(s)	Concentration [%]
Deltamethrin	52918-63-5 258-256-6	T, N	R23/25, R50/53	2.50
S-Bioallethrin	28434-00-6 249-013-5	Xn, N	R20/22, R50/53	2.00
1,2-Propanediol	57-55-6 200-338-0			> 5.00 - < 25.00
Ethoxylated polyarylphenol	99734-09-5		R52/53	> 1.00 - < 5.00
Distillates (petroleum), hydrotreated light; Kerosine - unspecified		Xn	R65, R66	> 1.00 - < 5.00

**3. HAZARDS IDENTIFICATION****Risk advice to man and the environment**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**4. FIRST AID MEASURES****General advice**

Remove contaminated clothing immediately and dispose of safely.



**CRACKDOWN RAPIDE SE45 20X250ML BOT GB**

2/8

Version 1 / GB  
10200001395

Revision Date: 03.04.2006  
Print Date: 14.06.2006

---

**Inhalation**

If symptoms persist, call a physician. Move to fresh air. Keep patient warm and at rest.

**Skin contact**

Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. After skin contact: Apply Vitamin E cream or a simple body milk. If symptoms persist, call a physician.

**Eye contact**

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Ingestion**

Obtain medical attention. Do not induce vomiting. Rinse mouth. Keep at rest.

**Notes to Physician**

**Symptoms**

Local: After skin contact: paresthesia (local)., The product causes irritation of eyes, skin and mucous membranes., Inhalation may provoke the following symptoms:., irritation, cough

**Symptoms**

Systemic:., excitement, gastrointestinal discomfort, tremors, Dizziness, headache, listlessness, nausea and vomiting, epigastric pain, muscular fasciculation of limbs, unconsciousness, convulsions and coma (very high doses).

**Risks**

This product contains a pyrethroid.  
Must NOT be confused with organophosphorus compounds!

**Treatment**

Local treatment:  
Initial treatment should be symptomatic and supportive.  
After eye contact: Instillation of local anaesthetic drops e.g. 1% Amethocaine Hydrochloride eye drops. Give Analgesics as necessary.

**Treatment**

Systemic treatment:  
Endotracheal intubation should be done and gastric lavage performed, followed by administration of charcoal.  
Monitoring of respiratory and cardiac functions.  
ECG - monitoring (Electrocardiogram).  
Check for pulmonary oedema in event of inhalation.  
Keep airway clear, administer artificial respiration if necessary.  
Against convulsions: give diazepam. For adults 5-10 mg intravenously as necessary until fully sedated; for children 2.5 mg i.v.  
There is no specific antidote.  
Contraindication: atropine.  
Contraindication: derivatives of adrenaline.  
Recovery: spontaneous.

---

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Extinguishing media which must not be used for safety reasons**

high volume water jet

**Specific hazards during fire fighting**



**CRACKDOWN RAPIDE SE45 20X250ML BOT GB**

Version 1 / GB  
102000001395

3/8  
Revision Date: 03.04.2006  
Print Date: 14.06.2006

In case of fire the evolution of dangerous gases is possible.

**Special protective equipment for fire-fighters**

In the event of fire and/or explosion do not breathe fumes.  
Wear self contained breathing apparatus for fire fighting if necessary.

**Further information**

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.  
Whenever possible, contain fire-fighting water by diking area with sand or earth.

---

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions**

Keep people away from and upwind of spill/leak.  
Avoid contact with spilled product or contaminated surfaces.  
When dealing with a spillage do not eat, drink or smoke.

**Environmental Precautions**

Do not discharge into the drains/surface water/groundwater.  
If spillage enters drains leading to sewage works inform local water company immediately.  
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**Methods for Cleaning Up**

Take up with absorbent material (e.g. sand, diatomaceous earth or a proprietary absorbent material).  
Keep in suitable, closed containers for disposal.  
Clean floors and contaminated objects with plenty of water.

**Additional Advice**

Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.  
Check also for any local site procedures.

---

**7. HANDLING AND STORAGE**

**Handling**

Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.  
Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

No special precautions required.

**Storage**

Requirements for storage areas and containers

Keep containers tightly closed in a cool, well-ventilated place.  
Store in a place accessible by authorized persons only.  
Keep away from direct sunlight.  
Protect against frost.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

**CRACKDOWN RAPIDE SE45 20X250ML BOT GB**

4/8

Version 1 / GB

Revision Date: 03.04.2006

10200001395

Print Date: 14.06.2006

Storage stability  
Storage temperature 0 - 30 °C

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

**Components with workplace control parameters**

Components	CAS-No.	Control parameters	Update	Basis
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m <sup>3</sup> (TWA)	2005	EH40 WEL
1,2-Propanediol (Vapor and particulates.)	57-55-6	474 mg/m <sup>3</sup> / 150 ppm (TWA)	2005	EH40 WEL

**Personal protective equipment**

Respiratory Protection	No personal respiratory protective equipment normally required. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand Protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).
Skin and body protection	Wear standard coverall and Type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
Hygiene measures	When using, do not eat, drink or smoke. Remove soiled clothing immediately. Remove soaked protective clothing immediately. Clean hands and face at work intervals and after work. Work in an adequately ventilated room.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**

Colour grey white  
Odour slight

**Safety data**

**CRACKDOWN RAPIDE SE45 20X250ML BOT GB**Version 1 / GB  
102000013955/8  
Revision Date: 03.04.2006  
Print Date: 14.06.2006

---

pH	< 6.0 Determined in the undiluted form.
Flash Point	> 100 °C
Density	ca. 1.02 g/cm <sup>3</sup> at 20 °C
Water Solubility	miscible

---

**10. STABILITY AND REACTIVITY**

Conditions to Avoid	Extremes of temperature and direct sunlight.
Materials to avoid	None.
Hazardous Reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

---

**11. TOXICOLOGICAL INFORMATION**

Acute Oral Toxicity	LD50 (rat) > 5,000 mg/kg
Acute Inhalation Toxicity	LC50 (rat) > 4.7 mg/l Exposure time: 4 h
Acute Dermal Toxicity	LD50 (rat) > 5,000 mg/kg
Skin Irritation	No skin irritation. (rabbit)
Eye Irritation	No eye irritation. (rabbit)
Sensitization	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Buehler test

## Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae.  
However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

---

**12. ECOLOGICAL INFORMATION****Elimination information (persistence and degradability)**

Bioaccumulation	Bluegill sunfish Bioconcentration factor (BCF): 1,400 The value mentioned relates to the active ingredient deltamethrin.
-----------------	--

**Ecotoxicity effects**

**CRACKDOWN RAPIDE SE45 20X250ML BOT GB**

6/8

Version 1 / GB  
10200001395Revision Date: 03.04.2006  
Print Date: 14.06.2006

Toxicity to Fish	LC50 (Rainbow trout ( <i>Oncorhynchus mykiss</i> )) 0.00091 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient deltamethrin.
Toxicity to Fish	LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)) 0.0332 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient S-bioallethrin.
Toxicity to daphnia	EC50 (Water flea ( <i>Daphnia magna</i> )) 0.00056 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient deltamethrin.
Toxicity to daphnia	EC50 (Water flea ( <i>Daphnia magna</i> )) 0.016 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient S-bioallethrin.
Toxicity to algae	EC50 (Algae) > 9.1 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient deltamethrin.
Toxicity to algae	EC50 ( <i>Selenastrum capricornutum</i> ) 3.9 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient S-bioallethrin.

**13. DISPOSAL CONSIDERATIONS****Product**

In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

**Contaminated packaging**

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.

Add washings to sprayer at time of filling.

Dispose of empty and cleaned packaging safely.

Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.

Return large containers to supplier.

Follow advice on product label and/or leaflet.

**Waste key for the unused product**

020108 agrochemical waste containing dangerous substances

**14. TRANSPORT INFORMATION****ADR/RID/ADNR**

UN-No	<b>3082</b>
Labels	9
Packaging group	III
Hazard no.	90
Description of the goods	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)

**CRACKDOWN RAPIDE SE45 20X250ML BOT GB**

7/8

Version 1 / GB  
102000001395Revision Date: 03.04.2006  
Print Date: 14.06.2006**IMDG**

UN-No	<b>3082</b>
Class	9
Packaging group	III
EmS	F-A , S-F
Marine pollutant	Marine pollutant
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION )

**IATA**

UN-No	<b>3082</b>
Class	9
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION )

**UK 'Carriage' Regulations**

UN-No	<b>3082</b>
Labels	9
Packaging group	III
Hazard no.	90
Emergency action code	3Z
Description of the goods	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)

**15. REGULATORY INFORMATION**

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

## Classification:

Labelling according to EEC Directive

Hazardous components which must be listed on the label:

- Deltamethrin
- S-Bioallethrin

## Symbol(s)

N Dangerous for the environment

## R-phras(e)s

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## S-phras(e)s

S35 This material and its container must be disposed of in a safe way.  
S57 Use appropriate container to avoid environmental contamination.

## CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

**CRACKDOWN RAPIDE SE45 20X250ML BOT GB**

8/8

Version 1 / GB  
102000001395Revision Date: 03.04.2006  
Print Date: 14.06.2006

## Symbol(s)

Xn	Harmful
N	Dangerous for the environment

## R-phrase(s)

R20	Harmful by inhalation.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

## Further information

WHO-classification: III (Slightly hazardous)

**16. OTHER INFORMATION****Further information**

Text of R phrases mentioned in Section 2:

R20/22	Harmful by inhalation and if swallowed.
R23/25	Toxic by inhalation and if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.