



## COOPEX MAXI SMOKE GENERATOR

Version 6 / GB  
102000002531

1/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

---

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Trade name** COOPEX MAXI SMOKE GENERATOR  
**Product code (UVP)** 05938406

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Environmental Science  
230 Cambridge Science Park  
Milton Road  
Cambridge  
Cambridgeshire CB4 0WB  
United Kingdom

**Telephone** 00800-1214 9451

**Telefax** +44(0)1223 426240

**Responsible Department** Email: ukcropsupport@bayer.com

**Supplier** Bayer CropScience Ltd.  
The Atrium  
Blackthorn Road  
Sandyford  
Dublin 18  
Ireland

**Telephone** +353-1-2999313

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 00800 1020 3333 (24 hr)  
**National Poisons Information Centre Dublin** +353-1-809 2166 (available from 8 am to 10 pm every day)

---

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute toxicity: Category 4  
H302 Harmful if swallowed.



## COOPEX MAXI SMOKE GENERATOR

Version 6 / GB  
102000002531

2/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Specific target organ toxicity - single exposure: Category 3

H335 May cause respiratory irritation.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Permethrin
- Potassium chlorate



**Signal word:** Warning

### Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

### 2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Ignites readily. Product burns without a flame to give a dense white harmful smoke.

May form explosible dust-air mixture if dispersed.

Permethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).



## COOPEX MAXI SMOKE GENERATOR

Version 6 / GB  
102000002531

3/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

##### Chemical nature

Smoke generator (FU)  
Permethrin 25/75 13.5% w/w

##### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Permethrin	52645-53-1 258-067-9	Aquatic Chronic 1, H410 Aquatic Acute 1, H400 Skin Sens. 1, H317 Acute Tox. 4, H332 Acute Tox. 4, H302	13.50
Potassium chlorate	3811-04-9 223-289-7	Acute Tox. 4, H332 Aquatic Chronic 2, H411 Ox. Sol. 1, H271 Acute Tox. 4, H302	> 1.00 – < 25.00
Talc	14807-96-6 238-877-9	Not classified	> 1.00

##### Further information

Permethrin	52645-53-1	M-Factor: 1,000 (acute), 1,000 (chronic)
Potassium chlorate	3811-04-9	Explosives Precursors: Annex I, Limit: > 40 % w/w (see section 15)

Substances for which there are Community workplace exposure limits:  
Permethrin (52645-53-1)

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

##### General advice

Place and transport victim in stable position (lying sideways). Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely.

##### Inhalation

Move the victim to fresh air and keep at rest. Call a physician or poison control center immediately.

##### Skin contact

Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.



## COOPEX MAXI SMOKE GENERATOR

4/13

Version 6 / GB  
102000002531

Revision Date: 23.09.2021  
Print Date: 23.09.2021

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.

**Ingestion** Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, sneezing

Systemic:, discomfort in the chest, tachycardia, hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy

### 4.3 Indication of any immediate medical attention and special treatment needed

**Risks** This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

**Treatment** Local treatment: Initial treatment: symptomatic.

Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used.

Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae. In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire., Contains potassium chlorate which is classified as an oxidising agent., Accumulation of fine dust may entail the risk of a dust explosion in the presence of air.

### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.



## **COOPEX MAXI SMOKE GENERATOR**

Version 6 / GB  
102000002531

5/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

---

**Further information**                      Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions**                                      Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.

**6.2 Environmental precautions**                      Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

#### **6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up**                      Avoid dust formation and electrical charging (sparking) because dust explosion might occur. Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed container.

**Additional advice**                                      Check also for any local site procedures.

**6.4 Reference to other sections**                      Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### **SECTION 7: HANDLING AND STORAGE**

#### **7.1 Precautions for safe handling**

**Advice on safe handling**                      No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid dust formation. Ensure adequate ventilation.

**Advice on protection against fire and explosion**                      Dust may form explosive mixture in air. Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge.

**Hygiene measures**                                      Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

#### **7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers**                      Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.



## COOPEX MAXI SMOKE GENERATOR

Version 6 / GB  
102000002531

6/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** Polyethylene film within an outer package

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Permethrin	52645-53-1	1 mg/m <sup>3</sup> (TWA)	12 2009	EU ELV
Permethrin	52645-53-1	1 mg/m <sup>3</sup> (TWA)	08 2018	EH40 WEL
Permethrin	52645-53-1	1 mg/m <sup>3</sup> (TWA)	2014	EU SCOELS
Permethrin	52645-53-1	10 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
Talc (Respirable dust.)	14807-96-6	1 mg/m <sup>3</sup> (TWA)	2007	EH40 WEL

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

**Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6



**COOPEX MAXI SMOKE GENERATOR**

Version 6 / GB  
102000002531

7/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

	Directive	Protective gloves complying with EN 374.
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).	
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.	
<b>General protective measures</b>	If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals	

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	powder
<b>Colour</b>	white to light beige
<b>Odour</b>	characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	No data available
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	> 130 °C
<b>Thermal decomposition</b>	No data available
<b>Minimum ignition energy</b>	No data available
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	No data available
<b>Bulk density</b>	ca. 940 kg/m <sup>3</sup>
<b>Water solubility</b>	partly soluble

**COOPEX MAXI SMOKE GENERATOR**Version 6 / GB  
1020000025318/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

---

<b>Partition coefficient: n-octanol/water</b>	Permethrin: log Pow: 5.95
<b>Viscosity, dynamic</b>	No data available
<b>Viscosity, kinematic</b>	No data available
<b>Oxidizing properties</b>	Contains potassium chlorate which is classified as an oxidising agent.
<b>Explosivity</b>	No data available
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY**

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

<b>Acute oral toxicity</b>	ATE (Mix) > 300 - < 2,000 mg/kg Calculation method
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 4.2 mg/l Exposure time: 4 h Highest attainable concentration. Irritating to respiratory system.
<b>Acute dermal toxicity</b>	ATE (Mix) 2,000 mg/kg Calculation method
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit) The information is derived from the properties of the individual components.
<b>Serious eye damage/eye irritation</b>	Irritating to eyes. (Rabbit) The information is derived from the properties of the individual components.
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Guinea pig) The information is derived from the properties of the individual components.

**Assessment STOT Specific target organ toxicity – single exposure**





## COOPEX MAXI SMOKE GENERATOR

Version 6 / GB  
102000002531

9/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

Permethrin: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Permethrin did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Permethrin caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver, Lungs. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

### Assessment toxicity to reproduction

Permethrin did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Permethrin did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

---

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Toxicity to fish** LC50 (Poecilia reticulata (guppy)) 0.0076 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient permethrin.

**Toxicity to aquatic invertebrates** EC50 (Daphnia magna (Water flea)) 0.00017 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient permethrin.

**Toxicity to aquatic plants** EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.497 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient permethrin.

### 12.2 Persistence and degradability

**Biodegradability** Permethrin:  
Not rapidly biodegradable

**Koc** Permethrin: Koc: 100000

### 12.3 Bioaccumulative potential

**Bioaccumulation** Permethrin: Bioconcentration factor (BCF) 300  
Does not bioaccumulate.

### 12.4 Mobility in soil



## COOPEX MAXI SMOKE GENERATOR

Version 6 / GB  
102000002531

10/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

**Mobility in soil** Permethrin: Immobile in soil

### 12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Permethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

### 12.6 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

**Contaminated packaging** Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.  
Return large containers to supplier.  
Follow advice on product label and/or leaflet.

**Waste key for the unused product** **02 01 08\*** agrochemical waste containing hazardous substances

## SECTION 14: TRANSPORT INFORMATION

### ADR/RID/ADN

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PERMETHRIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

### IMDG

14.1 UN number	<b>3077</b>
----------------	-------------



**COOPEX MAXI SMOKE GENERATOR**

Version 6 / GB  
10200002531

11/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(PERMETHRIN MIXTURE)  
14.3 Transport hazard class(es) 9  
14.4 Packaging Group III  
14.5 Marine pollutant YES  
Segregation group according to IMDG SEGREGATION GROUP 4 - CHLORATES  
5.4.1.5.11.1

**IATA**

14.1 UN number **3077**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(PERMETHRIN MIXTURE )  
14.3 Transport hazard class(es) 9  
14.4 Packaging Group III  
14.5 Environm. Hazardous Mark YES

**UK 'Carriage' Regulations**

14.1 UN number **3077**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(PERMETHRIN MIXTURE)  
14.3 Transport hazard class(es) 9  
14.4 Packaging Group III  
14.5 Environm. Hazardous Mark YES  
Emergency action code 2Z

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

**Transport**

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)  
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)  
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

**Supply and Use**

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)  
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009



## COOPEX MAXI SMOKE GENERATOR

Version 6 / GB  
102000002531

12/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)  
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits  
Control of Pesticide Regulations 1986  
Dangerous Substances and Explosive Atmospheres Regulations 2002

### Waste Treatment

Environmental Protection Act 1990, Part II  
Environmental Protection (Duty of Care) Regulations 1991  
The Waste Management Licensing Regulations 1994 (as amended)  
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)  
Landfill Directive  
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)  
Water Resources Act 1991  
Anti-Pollution Works Regulations 1999

### Further information

WHO-classification: III (Slightly hazardous)

Explosive Precursors (Annex I): Please check the concentration against the limit.  
Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see [https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list_of_competent_authorities_and_national_contact_points_en.pdf).

### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

---

## SECTION 16: OTHER INFORMATION

### Text of the hazard statements mentioned in Section 3

H271	May cause fire or explosion; strong oxidizer.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Smoke generators are ready to use products contained in a plastic or aluminium container.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit

**COOPEX MAXI SMOKE GENERATOR**Version 6 / GB  
10200000253113/13  
Revision Date: 23.09.2021  
Print Date: 23.09.2021

EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

**Reason for Revision:** Section 12. Ecological information. Safety Data Sheet according to Regulation (EU) No. 2015/830.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--