



## **EXTERIS STRESSGARD**

Version 1 / GB  
102000028296

1/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1 Product identifier**

**Trade name** EXTERIS STRESSGARD  
**Product code (UVP)** 81753938

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide  
**Restrictions on use** See product label for restrictions.

#### **1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer Environmental Science  
230 Cambridge Science Park  
Milton Road  
Cambridge  
Cambridgeshire CB4 0WB  
United Kingdom

**Telephone** 00800-1214 9451  
**Telefax** +44(0)1223 426240  
**Responsible Department** Email: [ukinfo@bayercropscience.com](mailto:ukinfo@bayercropscience.com)

#### **1.4 Emergency telephone no.**

**Emergency telephone no.** 0800-220876 (UK 24 hr)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### **2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Fluopyram
- Trifloxystrobin

**EXTERIS STRESSGARD**Version 1 / GB  
1020000282962/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017**Signal word:** Warning**Hazard statements**

H317 May cause an allergic skin reaction.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH208 Contains Trifloxystrobin, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.  
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

**2.3 Other hazards**

No other hazards known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)  
 Fluopyram/Trifloxystrobin 12,5:12,5 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Fluopyram	658066-35-4 619-797-7	Aquatic Chronic 2, H411	1.19
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1.19
Alcohol ethoxylate phosphate ester	73038-25-2	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Acute 1, H400	> 5.00 – < 10.00
Alcohols, C12-16, ethoxylated (>5-15 EO)	68551-12-2 500-221-7	Eye Dam. 1, H318 Acute Tox. 4, H302	> 1.00 – < 25.00
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9	Eye Dam. 1, H318 Aquatic Acute 1, H400	> 0.005 – < 0.05

**EXTERIS STRESSGARD**Version 1 / GB  
1020000282963/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

		Acute Tox. 4, H302 Skin Sens. 1, H317 Skin Irrit. 2, H315	
1,2-Propanediol	57-55-6 200-338-0 01-2119456809-23-xxxx	Not classified	> 1.00

**Further information**

Trifloxystrobin	141517-21-7	M-Factor: 100 (acute)
-----------------	-------------	-----------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed****Symptoms** No symptoms known or expected.**4.3 Indication of any immediate medical attention and special treatment needed****Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet



## **EXTERIS STRESSGARD**

Version 1 / GB  
102000028296

**4/12**  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

---

<b>5.2 Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

---

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

<b>Precautions</b>	Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.
--------------------	---

<b>6.2 Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
--------------------------------------	---

### **6.3 Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with plenty of water.
--------------------------------	--

<b>Additional advice</b>	Check also for any local site procedures.
--------------------------	---

<b>6.4 Reference to other sections</b>	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

---

## **SECTION 7: HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
--------------------------------	--

<b>Advice on protection against fire and explosion</b>	No special precautions required.
--	----------------------------------

<b>Hygiene measures</b>	When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Wash hands immediately after work, if necessary take a shower. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating,
-------------------------	---

**EXTERIS STRESSGARD**Version 1 / GB  
1020000282965/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from frost.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Fluopyram	658066-35-4	0.34 mg/m <sup>3</sup> (TWA)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m <sup>3</sup> (TWA)	12 2011	EH40 WEL
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m <sup>3</sup> /150 ppm (TWA)	12 2011	EH40 WEL

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls**

**Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 4 suit.

**EXTERIS STRESSGARD**Version 1 / GB  
1020000282966/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	suspension
<b>Colour</b>	green
<b>Odour</b>	characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	6.0 at 100 % (23 °C)
<b>Flash point</b>	> 93.3 °C
<b>Ignition temperature</b>	420 °C
<b>Minimum ignition energy</b>	Not applicable
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Density</b>	1.05 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Not applicable
<b>Partition coefficient: n-octanol/water</b>	Fluopyram: log Pow: 3.3 Trifloxystrobin: log Pow: 4.5 at 25 °C
<b>Viscosity, dynamic</b>	60 - 200 mPa.s at 20 °C Velocity gradient 20 /s 25 - 75 mPa.s at 20 °C Velocity gradient 100 /s
<b>Surface tension</b>	33.0 mN/m at 20 °C
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.



## **EXTERIS STRESSGARD**

Version 1 / GB  
102000028296

7/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

---

<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **11.1 Information on toxicological effects**

<b>Acute oral toxicity</b>	LD50 (Rat) > 5,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 5.0 mg/l
<b>Acute dermal toxicity</b>	LD50 (Rat) > 5,000 mg/kg
<b>Skin irritation</b>	slight irritation (Rabbit)
<b>Eye irritation</b>	Mild eye irritation. (Rabbit)
<b>Sensitisation</b>	Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

#### **Assessment STOT Specific target organ toxicity – single exposure**

Fluopyram: Based on available data, the classification criteria are not met.

#### **Assessment STOT Specific target organ toxicity – repeated exposure**

Fluopyram did not cause specific target organ toxicity in experimental animal studies.  
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

#### **Assessment mutagenicity**

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### **Assessment carcinogenicity**

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans.

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

#### **Assessment toxicity to reproduction**

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity.

Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

#### **Assessment developmental toxicity**

**EXTERIS STRESSGARD**Version 1 / GB  
1020000282968/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.  
Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Further information**

Acute toxicity studies have been bridged from a similar formulation(s).  
The non-acute information pertains to the active ingredient(s).

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 1.42 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0.75 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 5.25 mg/l Growth rate; Exposure time: 72 h

**12.2 Persistence and degradability**

<b>Biodegradability</b>	Fluopyram: Not rapidly biodegradable Trifloxystrobin: Not rapidly biodegradable
-------------------------	--

<b>Koc</b>	Fluopyram: Koc: 279 Trifloxystrobin: Koc: 2377
------------	---

**12.3 Bioaccumulative potential**

<b>Bioaccumulation</b>	Fluopyram: Bioconcentration factor (BCF) 18 Does not bioaccumulate. Trifloxystrobin: Bioconcentration factor (BCF) 431 Does not bioaccumulate.
------------------------	---

**12.4 Mobility in soil**

<b>Mobility in soil</b>	Fluopyram: Moderately mobile in soils Trifloxystrobin: Slightly mobile in soils
-------------------------	--

**12.5 Results of PBT and vPvB assessment**

<b>PBT and vPvB assessment</b>	Fluopyram: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	--

**12.6 Other adverse effects**

<b>Additional ecological</b>	No other effects to be mentioned.
------------------------------	-----------------------------------





**EXTERIS STRESSGARD**

Version 1 / GB  
102000028296

9/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

**information**

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

<b>Product</b>	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
<b>Contaminated packaging</b>	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.
<b>Waste key for the unused product</b>	<b>02 01 08*</b> agrochemical waste containing dangerous substances

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
----------------	-------------



## EXTERIS STRESSGARD

Version 1 / GB  
102000028296

10/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(TRIFLOXYSTROBIN SOLUTION )  
14.3 Transport hazard class(es) 9  
14.4 Packing group III  
14.5 Environm. Hazardous Mark YES

### UK 'Carriage' Regulations

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(TRIFLOXYSTROBIN SOLUTION)  
14.3 Transport hazard class(es) 9  
14.4 Packing group III  
14.5 Environm. Hazardous Mark YES  
Emergency action code 3Z

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)  
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)  
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

#### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)  
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009  
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)  
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits  
Control of Pesticide Regulations 1986  
Dangerous Substances and Explosive Atmospheres Regulations 2002

#### Waste Treatment

Environmental Protection Act 1990, Part II  
Environmental Protection (Duty of Care) Regulations 1991  
The Waste Management Licensing Regulations 1994 (as amended)  
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)  
Landfill Directive

**EXTERIS STRESSGARD**Version 1 / GB  
10200002829611/12  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)  
Water Resources Act 1991  
Anti-Pollution Works Regulations 1999

**Further information**

WHO-classification: U (Unlikely to present acute hazard in normal use)

**15.2 Chemical Safety Assessment**

A chemical safety assessment is not required.

**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations



## **EXTERIS STRESSGARD**

Version 1 / GB  
102000028296

**12/12**  
Revision Date: 24.01.2017  
Print Date: 06.03.2017

---

WHO World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

**Reason for Revision:** Safety Data Sheet according to Regulation (EU) No. 2015/830. New Safety Data Sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--