

**SUPER MOSSTOX 4X5L GB**Version 1 / GB
1020000022501/8
Revision Date: 07.04.2006
Print Date: 21.06.2006**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name SUPER MOSSTOX 4X5L GB
Product code (UVP) 05933536
Usage fungicide
Company Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain

Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Emergency telephone number 0800-220876 (UK 24 hr)
+44(0)1603-242424 (Overseas 24 hr)

2. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Soluble concentrate (SL)
Dichlorophen 360 g/l

Hazardous components

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrase(s)	Concentration [%]
Dichlorophen	97-23-4 202-567-1	Xn, N	R22, R36, R50/53	28.00
Sodium hydroxide	1310-73-2 215-185-5	C	R35	< 10.00

3. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Harmful if swallowed.
Causes severe burns.
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES**General advice**

Remove contaminated clothing immediately and dispose of safely. Take victim immediately to hospital.

Inhalation

Move the patient to fresh air and keep at rest. Call a physician or poison control center immediately.



SUPER MOSSTOX 4X5L GB

Version 1 / GB
102000002250

2/8
Revision Date: 07.04.2006
Print Date: 21.06.2006

Skin contact

Wash off immediately with plenty of water for at least 15 minutes. If signs of poisoning occur, call a physician immediately.

Eye contact

Call a physician or poison control center immediately. In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Ingestion

Do not induce vomiting. Keep at rest. Call a physician or poison control center immediately. Rinse mouth.

Notes to Physician

Symptoms

Local: redness, severe irritation, burning sensation

Symptoms

Systemic: Risk of serious damage to the lungs (by inhalation). There may be soreness and redness of the mouth and throat, stomach pain

Treatment

Local treatment:
Initial treatment should be symptomatic and supportive.

Treatment

Systemic treatment:
Initial treatment should be symptomatic and supportive.
If conscious give 1 pint (560 ml) of water to drink immediately.
Keep airway clear, administer artificial respiration if necessary.
In case of shortness of breath, give oxygen.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons

high volume water jet

Specific hazards during fire fighting

In case of fire the evolution of dangerous gases is possible.

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.
Whenever possible, contain fire-fighting water by diking area with sand or earth.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Keep people away from and upwind of spill/leak.
Avoid contact with spilled product or contaminated surfaces.
When dealing with a spillage do not eat, drink or smoke.



SUPER MOSSTOX 4X5L GB

Version 1 / GB
102000002250

3/8
Revision Date: 07.04.2006
Print Date: 21.06.2006

Environmental Precautions

Do not discharge into the drains/surface water/groundwater.
If spillage enters drains leading to sewage works inform local water company immediately.
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

Methods for Cleaning Up

Take up with absorbent material (e.g. sand, diatomaceous earth or a proprietary absorbent material).
Keep in suitable, closed containers for disposal.
Clean floors and contaminated objects with plenty of water.

Additional Advice

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.
Check also for any local site procedures.

7. HANDLING AND STORAGE

Handling

Advice on safe handling
No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.
Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion
No special precautions required.

Storage

Requirements for storage areas and containers
Keep containers tightly closed in a cool, well-ventilated place.
Store in a place accessible by authorized persons only.
Keep away from direct sunlight.
Protect against frost.

Storage stability
Storage temperature 0 - 30 °C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Sodium hydroxide	1310-73-2	2 mg/m ³ (STEL)	2005	EH40 WEL

Personal protective equipment

Respiratory Protection No personal respiratory protective equipment normally required.
Respiratory protection should only be used to control residual risk of

**SUPER MOSSTOX 4X5L GB**Version 1 / GB
1020000022504/8
Revision Date: 07.04.2006
Print Date: 21.06.2006

short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand Protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles conforming to EN166 (Field of Use 5) and faceshield conforming to EN166 (Field of Use 3).
Skin and body protection	Wear standard coverall and type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
Hygiene measures	When using, do not eat, drink or smoke. Remove soaked protective clothing immediately. Remove soiled clothing immediately. Clean hands and face at work intervals and after work. Work in an adequately ventilated room.

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Colour	red to brown
Odour	phenolic

Safety data

pH	ca. 13
Density	ca. 1.22 g/cm ³ at 20 °C
Water Solubility	miscible

10. STABILITY AND REACTIVITY

Conditions to Avoid	Extremes of temperature and direct sunlight.
Materials to avoid	aluminium zinc
Hazardous Reactions	Reactions with metals, with evolution of hydrogen. Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION



SUPER MOSSTOX 4X5L GB

Version 1 / GB
102000002250

5/8
Revision Date: 07.04.2006
Print Date: 21.06.2006

Acute Oral Toxicity	LD50 (rat) < 2,000 mg/kg
Acute Dermal Toxicity	LD50 (rat) > 2,000 mg/kg
Skin Irritation	corrosive (rabbit)
Eye Irritation	corrosive (rabbit)

Further information

Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Biodegradability The value mentioned relates to the active ingredient dichlorophen. The product is not readily biodegradable according to OECD criteria but is inherently biodegradable.

Ecotoxicity effects

Toxicity to Fish LC50 0.8 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient dichlorophen.

13. DISPOSAL CONSIDERATIONS

Product

In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.
Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.
Return large containers to supplier.
Follow advice on product label and/or leaflet.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION

ADR/RID/ADNR

UN-No	1760
Labels	8
Packaging group	III
Hazard no.	80
Description of the goods	UN 1760 CORROSIVE LIQUID, N.O.S.

**SUPER MOSSTOX 4X5L GB**Version 1 / GB
1020000022506/8
Revision Date: 07.04.2006
Print Date: 21.06.2006

(DICHLOROPHEN, SODIUM HYDROXIDE SOLUTION)

IMDG

UN-No	1760
Class	8
Packaging group	III
EmS	F-A , S-B
Marine pollutant	Marine pollutant
Description of the goods	CORROSIVE LIQUID, N.O.S. (DICHLOROPHEN, SODIUM HYDROXIDE SOLUTION)

IATA

UN-No	1760
Class	8
Packaging group	III
Description of the goods	CORROSIVE LIQUID, N.O.S. (DICHLOROPHEN, SODIUM HYDROXIDE SOLUTION)

UK 'Carriage' Regulations

UN-No	1760
Labels	8
Packaging group	III
Hazard no.	80
Emergency action code	2X
Description of the goods	UN 1760 CORROSIVE LIQUID, N.O.S. (DICHLOROPHEN, SODIUM HYDROXIDE SOLUTION)

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

Labelling according to EEC Directive

Hazardous components which must be listed on the label:

- Dichlorophen
- Sodium hydroxide

Symbol(s)

C	Corrosive
N	Dangerous for the environment

R-phrases(s)

R22	Harmful if swallowed.
R35	Causes severe burns.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S35	This material and its container must be disposed of in a safe way.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S45	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S57	Use appropriate container to avoid environmental contamination.

**SUPER MOSSTOX 4X5L GB**Version 1 / GB
1020000022507/8
Revision Date: 07.04.2006
Print Date: 21.06.2006

CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

Symbol(s)

C	Corrosive
Xi	Irritant
N	Dangerous for the environment

R-phrase(s)

R22	Harmful if swallowed.
R35	Causes severe burns.
R36/38	Irritating to eyes and skin.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s)

S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28	After contact with skin, wash immediately with plenty of water.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S45	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: II (Moderately hazardous)

16. OTHER INFORMATION**Further information**

Text of R phrases mentioned in Section 2:

R22	Harmful if swallowed.
R35	Causes severe burns.
R36	Irritating to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.



SUPER MOSSTOX 4X5L GB

Version 1 / GB
102000002250

8/8
Revision Date: 07.04.2006
Print Date: 21.06.2006

Changes since the last version are highlighted in the margin. This version replaces all previous versions.