



FINALE

Version 2 / GB
102000012341

1/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name FINALE
Product code (UVP) 06470025

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone 00800-1214 9451

Telefax +44(0)1223 426240

Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 1B
H360Fd May damage fertility. Suspected of damaging the unborn child.

Acute toxicity: Category 3
H311 Toxic in contact with skin.

Acute toxicity: Category 4
H302 Harmful if swallowed.

Specific target organ toxicity - repeated exposure: Category 2
H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed.

Serious eye damage: Category 1
H318 Causes serious eye damage.

Chronic aquatic toxicity: Category 3
H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

**FINALE**Version 2 / GB
102000012341

2/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Glufosinate ammonium
- Alkylethersulfate, sodium salt

**Signal word:** Danger**Hazard statements**

H360Fd	May damage fertility. Suspected of damaging the unborn child.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H373	May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use. Restricted to professional users.

Precautionary statements

P201	Obtain special instructions before use.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/ physician.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Soluble concentrate (SL)
Glufosinate-ammonium 150 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Glufosinate ammonium	77182-82-2 278-636-5	Acute Tox. 4, H302 STOT RE 2, H373	13.5

**FINALE**Version 2 / GB
102000012341

3/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

		Acute Tox. 4, H312 Acute Tox. 4, H332 Repr. 1B, H360Fd	
Alkylethersulfate, sodium salt	68891-38-3 500-234-8	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412	> 25.00
1-Methoxy-2-propanol	107-98-2 203-539-1 01-2119457435-35-xxxx	Flam. Liq. 3, H226 STOT SE 3, H336	> 1.00 – < 15.00

Further information

Substances for which there are Community workplace exposure limits:
1-Methoxy-2-propanol (107-98-2)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely. Keep under medical supervision for at least 48 hours.

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact

Wash off immediately with soap and plenty of water. Call a physician or poison control center immediately.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed**Symptoms**

Vomiting, Diarrhoea, Abdominal pain, Tremors, Hypotension, Muscular weakness, Unconsciousness, Coma, Convulsions, Respiratory failure, Nausea, Tachycardia

Symptoms may be delayed.

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed**Risks**

Watch victim for at least 48 hours because of possible delayed signs of poisoning.

**FINALE**Version 2 / GB
102000012341

4/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Forced alkaline diuresis and hemodialysis may be considered. There is no specific antidote. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Oxygen or artificial respiration if needed. Keep respiratory tract clear. ECG - monitoring (Electrocardiogram). EEG - monitoring (Electroencephalogram). Monitor: respiratory, cardiac and central nervous system. Keep under medical supervision for at least 48 hours.
------------------	--

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

**FINALE**Version 2 / GB
102000012341

5/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

Additional advice	Check also for any local site procedures.
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Glufosinate ammonium	77182-82-2	0.9 mg/m ³ (TWA)		OES BCS*
1-Methoxy-2-propanol	107-98-2	560 mg/m ³ /150 ppm (STEL)	12 2011	EH40 WEL
1-Methoxy-2-propanol	107-98-2	375 mg/m ³ /100 ppm (TWA)	12 2011	EH40 WEL
1-Methoxy-2-propanol	107-98-2	375 mg/m ³ /100 ppm (TWA)	12 2009	EU ELV
1-Methoxy-2-propanol	107-98-2	568 mg/m ³ /150 ppm (STEL)	12 2009	EU ELV
1-Methoxy-2-propanol	107-98-2	563 mg/m ³ /150 ppm (STEL)	2014	EU SCOELS
1-Methoxy-2-propanol	107-98-2	375 mg/m ³ /100 ppm	2014	EU



FINALE

Version 2 / GB
102000012341

6/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

		(TWA)		SCOELS
--	--	-------	--	--------

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

**FINALE**Version 2 / GB
102000012341

7/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

Form	Liquid
Colour	blue to blue green
Odour	weakly pungent
pH	6.8 - 7.8 at 100 % (23 °C)
Flash point	ca.57 °C The product does not sustain combustion.
Auto-ignition temperature	405 °C
Density	ca. 1.11 g/cm ³ at 20 °C
Water solubility	soluble
Partition coefficient: n-octanol/water	Glufosinate-ammonium: log Pow: -4.01 at pH 7 Alkylethersulfate, sodium salt: log Pow: 0.3
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113 Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Thermal decomposition > 200 °C, Heating rate: 10 K/min
Test conducted with a similar formulation.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Bases

10.6 Hazardous decomposition products Ammonia

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute oral toxicity LD50 (Rat) 1,730 mg/kg
Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) 2.97 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.



FINALE

Version 2 / GB
102000012341

8/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

During intended and foreseen applications, no respirable aerosol is formed.

Test conducted with a similar formulation.

Acute dermal toxicity

LD50 (Rat) 593 mg/kg

Test conducted with a similar formulation.

Skin irritation

Slight irritant effect - does not require labelling. (Rabbit)

Test conducted with a similar formulation.

Eye irritation

Severe eye irritation. (Rabbit)

Test conducted with a similar formulation.

Sensitisation

Non-sensitizing. (Guinea pig)

OECD Test Guideline 406, Buehler test

Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – repeated exposure

Glufosinate-ammonium caused neurobehavioral effects and/or neuropathological changes in animal studies. Glufosinate-ammonium was well tolerated in rats and mice but less well tolerated in the dog in subchronic studies.

Alkylethersulfate, sodium salt did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Glufosinate-ammonium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Alkylethersulfate, sodium salt was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Glufosinate-ammonium was not carcinogenic in lifetime feeding studies in rats and mice.

Alkylethersulfate, sodium salt was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Implantation loss occurred in a rat multigeneration study with Glufosinate-ammonium. There were no effects on male fertility.

Alkylethersulfate, sodium salt did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Glufosinate-ammonium caused developmental toxicity only at dose levels toxic to the dams.

Glufosinate-ammonium caused an increased incidence of post implantation losses.

Alkylethersulfate, sodium salt did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 13.4 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 17.8 mg/l

Exposure time: 48 h

Test conducted with a similar formulation.

Toxicity to aquatic plants

IC50 (Raphidocelis subcapitata (freshwater green alga)) 71.3 mg/l

Growth rate; Exposure time: 72 h



FINALE

Version 2 / GB
102000012341

9/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

Test conducted with a similar formulation.

NOEC (Desmodesmus subspicatus (green algae)) 0.93 mg/l

Exposure time: 72 h

Information refers to the main component.

Toxicity to bacteria

EC50 (activated sludge) > 1,000 mg/l

Exposure time: 3 h

The value mentioned relates to the active ingredient glufosinate-ammonium.

12.2 Persistence and degradability

Biodegradability

Glufosinate-ammonium:

Not rapidly biodegradable

Alkylethersulfate, sodium salt:

rapidly biodegradable

Koc

Glufosinate-ammonium: Koc: 2.3

12.3 Bioaccumulative potential

Bioaccumulation

Glufosinate-ammonium: Bioconcentration factor (BCF) < 1

Does not bioaccumulate.

Alkylethersulfate, sodium salt:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil

Glufosinate-ammonium: Highly mobile in soils

Alkylethersulfate, sodium salt: soluble in water

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment

Glufosinate-ammonium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Alkylethersulfate, sodium salt: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.



FINALE

Version 2 / GB
102000012341

10/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

Dispose of empty and cleaned packaging safely.
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.
Return large containers to supplier.
Follow advice on product label and/or leaflet.

Waste key for the unused product **02 01 08*** agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	2902
14.2 Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (GLUFOSINATE-AMMONIUM SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
14.5 Environm. Hazardous Mark	NO
Hazard no.	60
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	2902
14.2 Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (GLUFOSINATE-AMMONIUM SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
14.5 Marine pollutant	NO
Segregation group according to 5.4.1.5.11.1	IMDG SEGREGATION GROUP 2 - AMMONIUM COMPOUNDS

IATA

14.1 UN number	2902
14.2 Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (GLUFOSINATE-AMMONIUM SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
14.5 Environm. Hazardous Mark	NO

UK 'Carriage' Regulations

14.1 UN number	2902
14.2 Proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (GLUFOSINATE-AMMONIUM SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	III
14.5 Environm. Hazardous Mark	NO
Emergency action code	2X

14.6 Special precautions for user



FINALE

Version 2 / GB
102000012341

11/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: II (Moderately hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.

**FINALE**Version 2 / GB
102000012341

12/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H360Fd	May damage fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



FINALE

Version 2 / GB
102000012341

13/13

Revision Date: 22.11.2016
Print Date: 07.12.2016

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 2: Hazards Identification. Section 16: Other Information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.